























# UpStoneEvolve


## INSTALLATION INSTRUCTIONS KIT1200RLBF JEEP GLADIATOR

<b>A</b>  1X	<b>B</b>  L R 1X	<b>C</b>  L R 1X				
		<b>F</b>  2X	<b>G</b>  M8x20mm Stainless Steel 4X	<b>H</b>  M8 x16 Stainless Steel Washer 6X	<b>I</b>  2X	<b>J</b>  M8 Nylock 4X
<b>K</b>  M8 Stainless Steel Spring Washer 2X	<b>L</b>  2X	<b>M</b>  2X	<b>N</b>  4X	<b>O</b>  2X	<b>P</b>  M6x18 12X	
<b>Q</b>  M6x13mm Zinc 12X	<b>R</b>  M6x10mm 12X	<b>S</b>  M6x30mm 4X	<b>T</b>  M6x13mm Stainless Steel 4X			
<b>W</b>  RH 1X	<b>X</b>  LH 1X	<b>Y</b>  M5 Cable Bolt, Washer & Dome Nut 2X	<b>Z</b>  2X	<b>AA</b>  2X		
<b>AB</b>  1X			<p><b>Note 1:</b> If at any stage of installation you find your sportlid to be an unacceptable fit please contact the manufacturer before continuing.</p> <p><b>Note 2:</b> If required, use Under Rail Bed Liner only. <b>NOT FOR USE WITH OVER RAIL BED LINER!</b></p> <p><b>Tools Required:</b></p>      <p><b>OPTIONAL</b></p>   			



1





MAX TORQUE  
SETTING =  
8.5Nm OR  
6.3 Ft/Pounds



2






MAX TORQUE  
SETTING =  
8.5Nm OR  
6.3 Ft/Pounds





Fitting Kit Number	Product	Revision	Date	Page
KIT1200RLBF	Upstone Lid	1	30-05-2022	2 of 6

3








**!** DO NOT apply below 15°C.  
Apply pressure to part. Adhesive is pressure activated.  
Allow 3hrs minimum to cure before installing lid

4







Vehicle Model	Π	Θ
	mm	mm
Jeep Gladiator DC 2020+	12	12






Fitting Kit Number	Product	Revision	Date	Page
KIT1200RLBF	UpStone Lid	1	30/05/2022	4 of 6



Fitting Kit Number	Product	Revision	Date	Page
KIT1200RLBF	UpStone Sailplane Lid	1	18-06-2018	5 of 6

20



After installation carefully and thoroughly clean all debris from the inside of the cargo box.  
**Retain these instructions for future reference**



## CAUTION!

- NEVER allow people or animals under the closed cover
- Do not place unsealed solvents or chemicals under the cover
- Do not stand or place heavy objects on the cover
- Do not open lid when under load.
- Close the cover before operating the vehicle
- Do not allow oil, solvents or chemicals to contact the cover
- Clean only with a mild detergent and water solution

[Info@upstone.fr](mailto:Info@upstone.fr)

Fitting Kit Number	Product	Revision	Date	Page
KIT1200RLBF	UpStone Lid	1	30/05/2022	6 of 6